

**CLAIMS**

What is claimed is:

1. An apparatus for producing a sterilized, prefilled container comprising:
  - a sterilizing station for sterilizing a container;
  - 5 a sterile environment comprising an opening for receiving a sterilized container;
  - a sterile ambient atmospheric condition adjacent the opening;
  - a transport mechanism for transferring a sterilized container from the sterilizing station to the sterile environment wherein the sterilized container is exposed to the sterile ambient atmospheric condition;
  - 10 a source of a sterile fluid substance; and
  - a filler for introducing the sterile fluid substance into a sterilized container while the sterilized container is within the sterile environment.
2. The apparatus of claim 1 wherein the sterilizing station comprises a source of electron beam irradiation.
- 15 3. The apparatus of claim 2 further comprising a field of electrons produced by the source of electron beam irradiation wherein the field of electrons sterilizes the container and provides at least a portion of the sterile ambient atmospheric condition.
4. The apparatus of claim 2 wherein the source of electron beam irradiation delivers a dose of 10 kGy to 50 kGy.
- 20 5. The apparatus of claim 2 wherein the source of electron beam irradiation delivers a dose of 20 kGy to 40 kGy.
6. The apparatus of claim 2 wherein the source of electron beam irradiation delivers a dose of 15 kGy to 25 kGy.
7. The apparatus of claim 2 wherein the source of electron beam irradiation
  - 25 delivers a dose of 25kGy.
  8. The apparatus of claim 4 wherein the dose of electron beam irradiation is delivered at 1 to 10 MeV.
  9. The apparatus of claim 4 wherein the dose of electron beam irradiation is delivered at less than 1 MeV.
  - 30 10. An apparatus for continuous in-line production of a plurality of sterilized, prefilled containers comprising:

a sterilization station comprising a means for continuously sterilizing a plurality of containers;

a sterile isolator comprising an opening for continuously receiving a plurality of containers;

5 a sterile ambient atmospheric condition adjacent the opening;

a transport mechanism for continuously transferring a plurality of sterilized containers from the sterilizing station to the sterile isolator wherein the plurality of sterilized containers are exposed to the sterile ambient atmospheric condition;

a source of a sterile fluid substance; and

10 a filler for introducing the sterile fluid substance into a plurality of sterilized containers while the plurality of sterilized containers are within the sterile isolator.

11. The apparatus of claim 10 wherein the means for continuously sterilizing a plurality of containers comprises a source of electron beam irradiation.

12. The apparatus of claim 11 further comprising a field of electrons produced  
15 by the source of electron beam irradiation wherein the field of electrons sterilizes the plurality of containers and provides at least a portion of the sterile ambient atmospheric condition.

13. The apparatus of claim 11 wherein the source of electron beam irradiation delivers a dose of 10 kGy to 50 kGy.

20 14. The apparatus of claim 11 wherein the source of electron beam irradiation delivers a dose of 20 kGy to 40 kGy.

15. The apparatus of claim 11 wherein the source of electron beam irradiation delivers a dose of 15 kGy to 25 kGy.

16. The apparatus of claim 11 wherein the source of electron beam irradiation  
25 delivers a dose of 25kGy.

17. The apparatus of claim 13 wherein the dose of electron beam irradiation is delivered at 1 to 10 MeV.

18. The apparatus of claim 13 wherein the dose of electron beam irradiation is delivered at less than 1 MeV.

30 19. An apparatus for producing sterilized, prefilled syringe bodies comprising:  
a sterilizing station for sterilizing a syringe body;  
a sterile isolator comprising an opening for receiving a sterilized syringe body;

a sterile ambient atmospheric condition adjacent the opening;

a transport mechanism for transferring a sterilized syringe body from the sterilizing station to the sterile isolator wherein the sterilized syringe body is exposed to the sterile ambient atmospheric condition;

5 a source of a sterile fluid substance; and

a filler for introducing the sterile fluid substance into a sterilized syringe body while the sterilized syringe body is within the sterile isolator.

20. An apparatus for continuous in-line production of a plurality of sterilized, prefilled syringe bodies comprising:

10 a sterilization station comprising a means for continuously sterilizing a plurality of syringe bodies;

a sterile isolator comprising an opening for continuously receiving a plurality of syringe bodies;

a sterile ambient atmospheric condition adjacent the opening;

15 a transport mechanism for continuously transferring a plurality of sterilized syringe bodies from the sterilizing station to the sterile isolator wherein the plurality of sterilized syringe bodies are exposed to the sterile ambient atmospheric condition;

a source of a sterile fluid substance; and

20 a filler for introducing the sterile fluid substance into a plurality of sterilized syringe bodies while the plurality of sterilized syringe bodies are within the sterile isolator.

21. The apparatus of claim 20 further comprising a transfer holder adapted for receiving a plurality of syringe bodies wherein the transfer holder is sterilized at the same time the plurality of syringe bodies are sterilized by the sterilization station.

22. The apparatus of claim 20 wherein the means for continuously sterilizing a plurality of containers comprises a source of electron beam irradiation.

23. The apparatus of claim 22 further comprising a field of electrons produced by the source of electron beam irradiation wherein the field of electrons sterilizes the plurality of containers and provides at least a portion of the sterile ambient atmospheric condition.

24. The apparatus of claim 22 wherein the source of electron beam irradiation delivers a dose of 10 kGy to 50 kGy.

25. The apparatus of claim 22 wherein the source of electron beam irradiation delivers a dose of 20 kGy to 40 kGy.

26. The apparatus of claim 22 wherein the source of electron beam irradiation delivers a dose of 15 kGy to 25 kGy.

5 27. The apparatus of claim 22 wherein the source of electron beam irradiation delivers a dose of 25kGy.

28. The apparatus of claim 24 wherein the dose of electron beam irradiation is delivered at 1 to 10 MeV.

29. The apparatus of claim 24 wherein the dose of electron beam irradiation  
10 is delivered at less than 1 MeV.

30. An apparatus for directly receiving a molded, polymeric container from a container forming process and producing a sterilized, prefilled container comprising:  
a sterilization station comprising a means for sterilizing a container;

a means for transporting a container from a container forming process to the  
15 sterilization station;

a sterile isolator comprising an opening for receiving a sterilized container;

a sterile ambient atmospheric condition adjacent the opening;

a transport mechanism for transferring a sterilized container from the sterilizing  
station to the sterile isolator wherein the sterilized container is exposed to the sterile  
20 ambient atmospheric condition;

a source of a sterile fluid substance; and

a filler for introducing the sterile fluid substance into a sterilized container while  
the sterilized container is within the sterile isolator.

31. The apparatus of claim 30 wherein the sterilizing station comprises a  
25 source of electron beam irradiation.

32. The apparatus of claim 31 further comprising a field of electrons produced by the source of electron beam irradiation wherein the field of electrons sterilizes the container and provides at least a portion of the sterile ambient atmospheric condition.

33. The apparatus of claim 31 wherein the source of electron beam irradiation  
30 delivers a dose of 10 kGy to 50 kGy.

34. The apparatus of claim 31 wherein the source of electron beam irradiation delivers a dose of 20 kGy to 40 kGy.

35. The apparatus of claim 31 wherein the source of electron beam irradiation delivers a dose of 15 kGy to 25 kGy.

36. The apparatus of claim 31 wherein the source of electron beam irradiation delivers a dose of 25kGy.

5 37. The apparatus of claim 33 wherein the dose of electron beam irradiation is delivered at 1 to 10 MeV.

38. The apparatus of claim 33 wherein the dose of electron beam irradiation is delivered at less than 1 MeV.

39. A method of in-line, continuous production of sterile prefilled containers,  
10 the method comprising the steps of:

providing a container;

sterilizing the container;

providing a sterile environment;

15 providing a sterile ambient atmospheric condition adjacent the sterile environment;

transferring the sterilized container to the sterile environment while exposing the sterilized container to the sterile ambient atmospheric condition;

providing a source of a medical solution; and

20 introducing the medical solution into the sterilized container while the sterilized container is within the sterile environment.

40. The method of claim 39 wherein the step of sterilizing the container includes providing a source of electron beam irradiation.

41. The method of claim 40 wherein the step of sterilizing the container includes irradiating the container with a predetermined dose of the electron beam wherein  
25 the container is sterilized by the dose of electron beam irradiation and at least a portion of the sterile ambient atmospheric condition includes the predetermined dose of electron beam irradiation.

42. The method of claim 41 wherein the predetermined dose of the electron beam is between 10 kGy and 50 kGy.

30 43. The method of claim 41 wherein the predetermined dose of the electron beam is 25 kGy.

44. The method of claim 39 further comprising the step of:

sealing the container after the medical solution has been introduced thereto.

45. The method of claim 44 further comprising the step of:

transferring the container from the sterile environment.

46. A sterilized, prefilled container produced according to the method of claim

5 39.

47. A method of in-line, continuous production of sterile prefilled containers, the method comprising the steps of:

providing a container having no secondary packaging;

sterilizing the container; and

10 transferring the container to a sterile environment while exposing the container to ambient conditions;

providing a source of a medical solution; and

introducing the medical solution into the sterilized container while the sterilized container is within the sterile environment.

15 48. The method of claim 47 wherein the step of sterilizing the container includes providing a source of electron beam irradiation.

49. The method of claim 48 wherein the step of sterilizing the container includes irradiating the container with a predetermined dose of the electron beam irradiation wherein the container is sterilized by the dose of electron beam irradiation.

20 50. The method of claim 49 wherein the predetermined dose of the electron beam irradiation is between 10 kGy and 50 kGy.

51. The method of claim 49 wherein the predetermined dose of the electron beam irradiation is 25 kGy.

52. The method of claim 47 further comprising the step of:

25 sealing the container after the medical solution has been introduced thereto.

53. The method of claim 50 further comprising the step of:

transferring the container from the sterile environment.

54. A sterilized, prefilled container produced according to the method of claim

47.

30 55. A method of producing a sterile prefilled container for medical purposes, the method comprising the steps of:

providing a container;

sterilizing the container;  
providing a sterile environment;  
transferring the sterilized container to the sterile environment while exposing the  
container to ambient conditions;  
5 providing a fluid substance;  
introducing the fluid substance into the container while the container is within the  
sterile environment; and  
sealing the fluid substance within the container while the container is within the  
sterile environment.

10 56. The method of claim 55 wherein no human contact with the container is  
required.

57. The method of claim 55 wherein the sterilizing of the container step  
includes providing a source of electron beam irradiation and irradiating the container with  
a predetermined dose of the electron beam irradiation.

15 58. The method of claim 57 wherein the predetermined dose of the electron  
beam irradiation is between 10 kGy and 50 kGy.

59. The method of claim 57 wherein the predetermined dose of the electron  
beam irradiation is 25 kGy.

20 60. The method of claim 55 wherein the introducing the fluid substance into  
the container while the container is within the sterile environment step is performed  
within six days of the sterilizing the container step.

61. The method of claim 60 wherein the fluid substance is a sterile water for  
injection.

25 62. The method of claim 61 wherein the sterile water for injection has a pH  
of solution between 5.0 and 7.0.

63. The method of claim of claim 62 further comprising the steps of:  
transferring the container from the sterile environment;  
storing the container for a predetermined period of time; and  
maintaining a pH of solution of the sterile water for injection within a range of  
30 5.0-7.0.

64. The method of claim 60 wherein the introducing the fluid substance into the container while the container is within the sterile environment step is performed within fifteen minutes after the sterilizing the container step.

65. The method of claim 55 wherein the providing the container step includes  
5 forming the container from a polymeric resin.

66. The method of claim 65 wherein the providing container step includes weighing and inspecting the container subsequent to forming the container.

67. The method of claim 66 wherein the forming the container from a polymeric resin includes injection molding the container.

10 68. The method of claim 65 wherein the polymeric resin is a cyclic olefin copolymer.

69. The method of claim 55 wherein the container is a syringe body.

70. The method of claim 69 further comprising the steps of providing a tip cap for the syringe body and fixing the tip cap to an open tip end of the syringe body.

15 71. The method of claim 70 further comprising the steps of transferring a sterilized plunger into the sterile environment and inserting the plunger into an open end of the sterile syringe body subsequent to the introducing the fluid substance into the syringe body while the syringe body is within the sterile environment step wherein the the fluid substance is sealed within the syringe body.

20 72. The method of claim 71 further comprising the step of fixing a plunger rod to the plunger.

73. The method of claim 55 further comprising the steps of transferring the sterilized container from the sterile environment and resterilizing the container subsequent to filling.

25 74. The method of claim 73 further comprising the steps of labeling the container and packaging the container for delivery to an end user.

75. A prefilled, sterilized container produced according to the method of claim 55.

76. A method of in-line, continuous production of sterile prefilled syringe  
30 bodies for medical purposes, the method comprising the steps of:  
forming a plurality of syringe bodies by injection molding;



arranging the plurality of syringe bodies in a predetermined order on a transfer mechanism;

transferring the plurality of syringe bodies along the transfer mechanism to a sterilizing location;

5       sterilizing the plurality of syringe bodies;

transferring the plurality of sterilized syringe bodies to a sterile environment while maintaining the plurality of syringe bodies in a sterilized condition;

providing a fluid substance within the sterile environment;

10       introducing the fluid substance into the plurality of syringe bodies while the plurality of syringe bodies are within the sterile environment; and

sealing the fluid substance within the plurality of syringe bodies while the plurality of syringe bodies are within the sterile environment.

77. The method of claim 76 wherein the transfer mechanism includes a conveyor belt.

15       78. The method of claim 77 wherein no human intervention is required.

79. The method of claim 78 wherein the sterilizing of the plurality of syringe bodies step includes providing a source of electron beam irradiation and irradiating the plurality syringe bodies with a predetermined dose of the electron beam irradiation.

20       80. The method of claim 79 wherein the predetermined dose of the electron beam irradiation is between 10 kGy and 50 kGy.

81. The method of claim 80 wherein the predetermined dose of the electron beam irradiation is 25 kGy.

25       82. The method of claim 80 wherein the introducing the fluid substance into the plurality of syringe bodies while the plurality of syringe bodies are within the sterile environment step is performed within six days of the sterilizing the plurality of the syringe bodies step.

83. The method of claim 82 wherein the fluid substance is a sterile water for injection.

30       84. The method of claim 83 wherein the sterile water for injection has a pH of solution between 5.0 and 7.0.

85. The method of claim of claim 84 further comprising the steps of:  
transferring the plurality of syringe bodies from the sterile environment;

storing the plurality of syringe bodies for a predetermined period of time; and maintaining a pH of solution of the sterile water for injection within a range of 5.0-7.0.

86. The method of claim 80 wherein the introducing the fluid substance into the plurality of syringe bodies while the plurality of syringe bodies are within the sterile environment step is performed immediately after the sterilizing the plurality of syringe bodies step.

87. The method of claim 80 wherein the plurality of syringe bodies are formed from a polymeric resin.

88. The method of claim 87 wherein the polymeric resin is a cyclic olefin copolymer.

89. The method of claim 88 further comprising the step of weighing and inspecting the plurality of syringe bodies subsequent to forming the syringe body.

90. The method of claim 80 further comprising the steps of providing a tip cap for each of the plurality of the syringe bodies and fixing the tip cap to an open tip end of each of the plurality of syringe body.

91. The method of claim 90 further comprising the steps of transferring a plurality of sterilized plungers into the sterile environment and inserting at least one of the plurality of plungers into an open end of each of the plurality of sterile syringe bodies subsequent to the introducing the fluid substance into the plurality of syringe bodies while the plurality of syringe bodies are within the sterile environment step wherein the fluid substance is sealed within the plurality of syringe bodies.

92. The method of claim 91 further comprising the step of fixing a plunger rod to each plunger.

93. The method of claim 80 further comprising the steps of transferring the sterilized plurality of syringe bodies from the sterile environment and resterilizing the plurality of syringe bodies subsequent to filling.

94. The method of claim 93 further comprising the steps of labeling the plurality of syringe bodies and packaging the plurality of syringe bodies for delivery to an end user.

95. A method of continuously producing a plurality of sterile prefilled syringe bodies for medical purposes, the method comprising the steps of:

providing a plurality of syringe bodies;  
 arranging the plurality of syringe bodies within a transfer tray;  
 sterilizing the plurality of syringe bodies and the transfer tray substantially simultaneously;

5        transferring the plurality of sterilized syringe bodies and the sterilized transfer tray to a sterile environment while exposing the plurality of syringe bodies and the transfer tray to a sterile ambient atmospheric condition;

providing a fluid substance; and

10        introducing the fluid substance into each syringe body individually while the plurality of syringe bodies are within the sterile environment.

96. A method of continuously producing a plurality of sterile prefilled syringe bodies for medical purposes, the method comprising the steps, in sequence of:

providing a syringe body;

sterilizing the syringe body;

15        transferring the sterilized syringe body to a sterile environment while exposing the syringe body to a sterile ambient atmospheric condition;

providing a fluid substance; and

introducing the fluid substance into the syringe body while the syringe body is within the sterile environment.

20        97. A method of providing a prefilled polymeric container and controlling a solution pH of a sterile, parenteral solution within the polymeric container, the method comprising the steps of:

providing a container produced from a polymeric material where an ionizing radiation causes the formation of free radicals on the container;

25        providing a source of ionizing radiation;

sterilizing the polymeric container with a predetermined dose of the ionizing radiation;

providing a source of a parenteral solution;

introducing the parenteral solution into the container within 48 hours of sterilizing

30        the polymeric container with a predetermined dose of the ionizing radiation; and

sealing the parenteral solution within the polymeric container.

98. The method of claim 97 wherein the ionizing radiation is an electron beam, irradiation.

99. The method of claim 98 wherein the predetermined dose of electron beam irradiation is between 10 kGy and 50 kGy.

5 100. The method of claim 99 wherein the predetermined dose of the electron beam irradiation is 25 kGy.

101. The method of claim 97 wherein the introducing the parenteral solution into the polymeric container is performed within 24 hours of the sterilizing the container step.

10 102. The method of claim 97 wherein the introducing the parenteral solution into the polymeric container is performed within 15 minutes of the sterilizing the container step.

103. The method of claim 102 wherein the parenteral solution has a pH of solution between 5.0 and 7.0.

15 104. A prefilled, sterile container produced according to the method of claim 97.

100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000